


E l e g a n t
a e s t h e t i c s
i n s p i r e d b y
T h e G o l d e n R a t i o

1200x1200



THE GOLDEN RATIO

The Golden Ratio is a mathematical ratio found in nature, which is commonly denoted by the symbol for phi (ϕ). Two entities can be in The Golden Ratio if their ratio is equivalent to the ratio of their sum and the larger of the two entities.



THE GOLDEN RATIO

The Golden Ratio is being used in paintings and architecture for ages now. It is used to create charming compositions that replicate natural designs. The Golden Ratio makes buildings and spaces more aesthetically satisfying by giving them a more proportional look. The Golden Ratio makes things look complete as if everything was destined to be there.



Each building or construction you see seems to be different in terms of sizes, shapes, and styles. However, they are similar at the core since all the calculations are based on the natural materials. Golden Ratio determines each of its proportions. The evenly spaced columns or peaked and sloped roofs are the simplest examples of the rule since the lengths and widths of shapes correspond, to the ratio and the resulting rectangles can be further divided into smaller and smaller segments while maintaining ratio's proportion.



E X T R A O R D I N A R Y Size

A complete and versatile project: from the largest size available in the ceramics market, 120x240cm and 6mm, 9mm thick, down to the most common size, 120x120cm, 10 mm thick, passing through a full range of intermediate sizes.



E X T R A O R D I N A R Y Style

The ceramic design interprets different inspirations, ensuring maximum aesthetic appeal in any type of environment and giving each its own style.



E X T R A O R D I N A R Y Form

The Inkjet ceramic technology allows for any collection and colour, a high number of different graphics, for an aesthetic effect of the flooring and cladding that is always varied and never repetitive.




E X T R A O R D I N A R Y Weight

The slabs are easy to move and handle as they are only 6 mm thick, ensuring lightness despite their large size.



E X T R A O R D I N A R Y Built

With large sizes, you can make cuts of any shape and size, to further extend the possibilities of use of the slab covering floors, walls, furniture, tables and doors.



Product Details

Our various products have been carefully developed by using The Golden Ratio. This allows our tiles to give every décor and space a complete appearance. Our perfectly proportionate tiles enhance the innate aesthetics of the space by providing a sense of balance and equilibrium.

Flaunt enchanting impressions effortlessly



-  GLEAMING EFFECT
-  GLARE-FREE POLISH
-  NATURAL SURFACES
-  SOFT TO TOUCH

Technical Features

-  Italian Technology
-  Resistance to Heat
-  6mm | 9mm Thickness
-  Flexural Strength
-  Resistance to UV Rays
-  Stain Resistant
-  Waterproof Surface
-  Hygienic and Scratch Resistant Surface
-  Frost Resistant
-  Lightweight
-  Chemical Resistant



THE
GLEAM
CIRCLE

1200x
1200

SUPER GLOSSY

To give a new and refurbished look to the gloss series, we present to you the super glossy series. Tiles developed here have the top-most layer of glare-free glaze that imparts overall radiance to the tiles.

1200x1200



ARCELLI GREY



ARCELLE BRONCE





ARCELLI GREY

1200x1200

16 - 17



ARCELLE BRONCE


GLEAMING EFFECT GLARE-FREE POLISH NATURAL SURFACES SOFT TO TOUCH

Low Moderate High Random


1200x1200



ARMANI GOLD



ARMANI BROWN




1200x1200




ARMANI GOLD




ARMANI BROWN



BURLINE IVORY



BOTTOCINO





BURLINE IVORY




BOTTOCINO


1200x1200



BURBERRY BROWN



CREMA ITALIA






BURBERRY BROWN





KASHMIR WHITE



MARMO CARRARA



1200x1200

38 - 39



KASHMIR WHITE

GLEAMING EFFECT GLARE-FREE POLISH NATURAL SURFACES SOFT TO TOUCH

Low Moderate High Random




MARMO CARRARA

1200x1200



MARMO PULPIS BIANCO



IMPERIO PEARL



1200x1200

44 - 45



MARMO PULPIS BIANCO

GLEAMING EFFECT GLARE-FREE POLISH NATURAL SURFACES SOFT TO TOUCH

Low Moderate High Random



IMPERIO PEARL

1200x1200



PARADISE GREY



PARADISE CREMA





PARADISE GREY



PARADISE CREMA


1200x1200



UNIQUE BURBERRY



WILLIUM GREY NATURA





UNIQUE BURBERRY



WILLIUM GREY NATURA

1200x1200



BRECCIA ARRORA



PIETRA GREY



1200x1200



BRECCIA ARRORA

1200x1200

64 - 65



PIETRA GREY

GLEAMING EFFECT GLARE-FREE POLISH NATURAL SURFACES SOFT TO TOUCH


Low Moderate High Random



STATUARIO HIMALAYA



STATUARIO BRILLIANT





STATUARIO HIMALAYA

1200x1200

70 - 71



STATUARIO BRILLIANT

◆ GLEAMING EFFECT ● GLARE-FREE POLISH ● NATURAL SURFACES ● SOFT TO TOUCH

Low Moderate High Random



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ En14411 GROUP	VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	±0.5%	±0.2%	ISO - 10545-2
Deviation in Thickness	±0.5%	±0.5%	ISO - 10545-2
Straightness of Sides	±0.5%	±0.2%	ISO - 10545-2
Rectangularity	±0.5%	±0.2%	ISO - 10545-2
Surface Flatness	±0.5%	±0.2%	ISO - 10545-2
Colour Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
Structural Properties			
Water Absorption	≤0.05	≤0.05	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
Massive Mechanical Properties			
Modulus of Repture	Min 35N/mm²	Min 40N/mm²	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
Thermo Hygrometric Properties			
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min. 10 Cycle	ISO - 10545-11
Chemical Properties			
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

PACKING DETAILS

DIMENSION (mm)	SLAB	SQUARE METRE	SQUARE FEET	WEIGHT (APPROX)
1200 x 1200mm				